


# Long-Baseline Neutrino Experiment (LBNE)

A new particle physics experiment, planned to take place at Fermilab and the Sanford Lab, aims to transform our understanding of neutrinos and their role in the universe.



## Mysterious neutrinos

Neutrinos are among the most abundant particles in the universe, a billion times more abundant than the particles that make up stars, planets and people. Each second, a trillion neutrinos from the sun and other celestial objects pass through your body. Although neutrinos are all around us, they interact so rarely with other matter that they are very difficult to observe.

The latest developments in particle accelerator and detector technology make possible promising new experiments in neutrino science. A collaboration of more than 350 scientists from five countries has proposed to build a world-leading neutrino experiment that would involve construction at both Fermi National Accelerator Laboratory (Fermilab), located in Batavia, Illinois, and the Sanford Underground Research Facility (Sanford Lab) in Lead, South Dakota.

## Why are neutrinos important?

Neutrinos may provide the key to answering some of the most fundamental questions about the nature of our universe. The discovery that neutrinos have mass, contrary to what was previously thought, has revolutionized our understanding of neutrinos in the last two decades while raising new questions about matter, energy, space and time. Neutrinos may play a key role in solving the mystery of how the universe came to consist of matter rather than antimatter. They could also unveil new, exotic physical processes that have so far been beyond our reach.

## Facts about neutrinos

Neutrinos are elementary particles that have no electric charge. They are among the most abundant particles in the universe.

In nature, they are produced in great quantities in the sun and in smaller quantities in the Earth. In the laboratory, scientists can make neutrino beams with particle accelerators.

Neutrinos are harmless. They can pass right through matter, and only very rarely do they collide with other matter particles.

There are three types of neutrinos: electron neutrinos, muon neutrinos and tau neutrinos.

The laws of quantum mechanics allow a neutrino of one type to turn into another one as the neutrino travels long distances. This process is called neutrino oscillation.

Understanding neutrino oscillations is the key to understanding neutrinos and their role in the universe.

The distance between Fermilab and the Sanford Lab is 800 miles. It is ideal for measuring neutrino oscillations with the proposed Long-Baseline Neutrino Experiment.

# Proposed LBNE neutrino beamline location on the Fermilab site

## What is LBNE?

The proposed Long-Baseline Neutrino Experiment would use Fermilab's particle accelerators to create neutrinos and send them through the earth to a new, large, cutting-edge neutrino detector at the Sanford Lab. The neutrinos would travel the 800 miles from Illinois to South Dakota straight through the earth—no tunnel is needed for these particles.

The LBNE particle detector at Sanford Lab would record neutrinos and measure their oscillation properties. With the data, scientists aim to discover whether neutrinos and antineutrinos interact differently with matter. They would also be able to determine which type of neutrino is the lightest and which is the heaviest. This information would help reveal the exact role that neutrinos play in the universe.


## The LBNE neutrino beamline at Fermilab

Scientists can make neutrinos by accelerating protons and smashing them into a piece of material such as graphite. The collisions produce short-lived particles that generate neutrinos. At Fermilab, scientists have operated neutrino-producing facilities for more than 30 years.

For the LBNE project, scientists plan to construct a new neutrino beamline at Fermilab to send neutrinos from Fermilab to the Sanford Lab in South Dakota. It would steer protons from Fermilab's Main Injector accelerator up a small hill (see graphic below) and then point the beam into the ground, toward the Sanford Lab. The protons would smash into a piece of graphite. The particles that emerge from these collisions would go into a 680-foot-long tunnel and generate neutrinos that travel in the same direction as the protons. If additional resources become available, scientists would build a second underground hall at Fermilab with a particle detector to measure the exact number of neutrinos produced.

Traveling at close to the speed of light, the neutrinos would leave the Fermilab site at a depth of about 200 feet, continue straight through the earth and arrive at the Sanford Lab in South Dakota within a fraction of a second. No tunnel would be necessary for this trip.

At the Sanford Lab, a large particle detector would record the arrival of the neutrinos by measuring the rare interactions of neutrinos with the detector. It would transmit the data to computers for storage and analysis. Once the experiment is operational, it would take about a decade to collect enough data to make the exciting discoveries that may revolutionize our understanding of the universe.




The LBNE neutrino beamline at Fermilab would be located on the western part of the Fermilab site, near Giese and Kirk Road. The locations of the three planned service buildings are marked with blue squares and the footprint of the planned, 52-foot-high hill is marked in green. Planned access roads are marked in yellow. Kirk Road runs along the western boundary of the Fermilab site.

## More information

**LBNE website:**  
[lbne.fnal.gov](http://lbne.fnal.gov)

**Fermilab website:**  
[www.fnal.gov](http://www.fnal.gov)

**For more information contact:**  
Katie Yurkewicz, Fermilab Office of Communication  
Phone: 630-840-3351 E-mail: [katie@fnal.gov](mailto:katie@fnal.gov)  
Or send e-mail to the LBNE project team:  
[lbne-communication@fnal.gov](mailto:lbne-communication@fnal.gov)



Fermilab plans to use its Main Injector accelerator to make neutrinos and send them through the earth to the LBNE particle detector in South Dakota. The project would require the construction of three buildings, a 52-foot-high hill made of compacted soil and a 680-foot-long tunnel on the Fermilab site.

# Proposed LBNE detector location on the Sanford Lab site in South Dakota

## The LBNE detector at Sanford Lab


The proposed LBNE particle detector at Sanford Lab would consist of a pair of vessels that would be about 60 feet wide, 60 feet high and 100 feet long. The two vessels would sit side by side in the large basement of a new building, to be excavated on the Sanford Lab site in surface rock east of the Oro Hondo substation. A hall on the first floor of the building would house equipment needed to construct and operate the detector. Ten feet of rock and other dense material would cover the top and the sides of the building and provide shielding from cosmic rays traveling through Earth's atmosphere.

Each vessel would be filled with liquid argon, a material similar to helium, but heavier. Like helium, argon must be cooled to remain liquid. The LBNE experiment would cool argon to minus 303 degrees Fahrenheit. Sensors would record the rare interactions between neutrinos and the nuclei of argon atoms and transmit their signals to computers for storage and analysis. It would take about a decade to collect enough data to carry out measurements of neutrino oscillations and make the anticipated discoveries.

If additional resources become available, scientists would build the particle detector underground to shield it more from the cosmic rays that travel through Earth's atmosphere. This would greatly increase the capability of the detector to detect the rare interactions of neutrinos.



A new building, to be located east of the Oro Hondo substation on the Sanford Lab site, would house the particle detector of the proposed Long-Baseline Neutrino Experiment.



The LBNE detector building would have a basement that would be about 60 feet deep and 100 feet long, to be excavated in surface rock on the Sanford Lab site. A hall on the first floor of the building would house equipment needed to construct and operate the detector. The neutrinos from Fermilab would travel straight through rock and enter the detector from the east. If additional resources become available, scientists would build the particle detector deeper underground.

## More information

**LBNE website:**

[lbne.fnal.gov](http://lbne.fnal.gov)

**Sanford Lab website:**

[www.sanfordlab.org](http://www.sanfordlab.org)

**For more information contact:**

Bill Harlan, Sanford Lab Communications Department

Phone: 605-722-4025 E-mail: [bharlan@sanfordlab.org](mailto:bharlan@sanfordlab.org)

Or send e-mail to the LBNE project team:

[lbne-communication@fnal.gov](mailto:lbne-communication@fnal.gov)

## About the LBNE collaboration

More than 350 scientists and engineers from more than 60 institutions have come together to form the LBNE Science Collaboration. The collaborators come from universities and national laboratories in the United States, India, Italy, Japan and the United Kingdom. Collaborators encourage and anticipate further international participation. Funding for the collaboration is provided by the U.S. Department of Energy, the National Science Foundation as well as international funding agencies.



Members of the LBNE collaboration at a meeting at Fermilab

# LBNE Environmental Assessment Process

## Overview

This fact sheet is intended to acquaint stakeholders—potentially affected state, tribal and local governments, interested organizations and members of the public—with the proposed Long-Baseline Neutrino Experiment (LBNE). This project would require the construction of buildings and research facilities at both Fermi National Accelerator Laboratory (Fermilab) in Batavia, Illinois, and at the Sanford Underground Research Facility (Sanford Lab) in Lead, South Dakota.

## Initial project planning

The U.S. Department of Energy (DOE) has authorized the commencement of initial project planning, part of which is an investigation of the potential impacts to human health and the environment.

## Start of the Environmental Assessment process

The National Environmental Policy Act (NEPA) was signed into law in 1970. It sets forth protection of the environment as a U.S. policy and requires that all federal agencies consider the potential environmental impacts of proposed projects. NEPA establishes a framework to ensure that environmental factors receive appropriate consideration along with economic and technical factors in federal agency decision-making. Accordingly, an Environmental Assessment document will be prepared for the LBNE. Information about the LBNE project and the Environmental Assessment process is being distributed through letters, fact sheets and websites. DOE also plans to hold public informational meetings at Fermilab in Illinois and several locations in South Dakota in 2013, to provide information on the project. The exact dates have not yet been determined.

## Preparation of the Draft Environmental Assessment

With the help of a number of technical experts, including independent consultants assisted by Fermilab and Sanford Lab staff, DOE will prepare an environmental assessment to determine what impacts LBNE construction and operation might have on human health and environment. Documentation will include a statement of project purpose and need, a description of the proposed project and alternatives, a description of the current environment, and an analysis of potential impacts to the air, sound, water, soil, safety, traffic flow and other impact areas. Opportunities to mitigate any negative impacts that may exist would be integrated into the project plans. The project team will present all these aspects in a Draft Environmental Assessment document.

## The LBNE Environmental Assessment Process: Public Outreach

### 1. Initial project planning

### 2. Start of the Environmental Assessment process

### 3. Preparation of the Draft Environmental Assessment document

### 4. Opportunity for Public Comment

### 5. Preparation of the Final Environmental Assessment document

### 6. Decision-Making

## Public Comment

DOE will make the Draft Environmental Assessment document available to stakeholders in print and electronic form. It will be distributed via mail, posted in libraries and public reading rooms and shared through websites, e-mail and other electronic media. In addition, public meetings are planned at Fermilab and at a central location in South Dakota, likely during the latter half of 2013, to share the draft. The public will be able to provide comments either at these meetings or by submitting them in writing. The release and distribution of the draft document will include information on the dates of these public meetings and the ways that people can submit comments.

## Preparation of the Final Environmental Assessment

After considering all comments, DOE will prepare a Final Environmental Assessment document. A record of the comments received will be contained within the document.

## Decision-making

If the Final Environmental Assessment indicates no significant environmental impacts, DOE will issue a statement known as a Finding of No Significant Impact (FONSI). DOE will make the Final Environmental Assessment document and the associated FONSI available via mail, libraries and reading rooms as well as electronic media. If the Final Environmental Assessment indicates that potentially significant environmental impacts are likely to occur, a more extensive environmental review, referred to as an Environmental Impact Statement, will be undertaken to more fully explore those impacts. Additional public outreach opportunities would also be planned.

## More information

### For more information contact:

Peter Siebach

U.S. Department of Energy (STS)  
9800 South Cass Avenue  
Argonne, IL 60439

**Phone:** 630-252-2007

**E-mail:** [peter.siebach@ch.doe.gov](mailto:peter.siebach@ch.doe.gov)